



VALUE OF MANGROVE AND CRAB CULTIVATION DEVELOPMENT PATTERNS IN KALIWLINGI VILLAGE, INDONESIA

Ninik Umi Hartanti¹, Alin Fithor^{1*}, Suyono¹, Sutaman¹, Nurjanah¹

¹Aquaculture Department, Faculty of Fisheries and Marine Science, Pancasila University, 52121 Tegal, Indonesia

ABSTRACT

Both mangroves and crab cultivation contribute to sustainable development and positively impact local communities and ecosystems. Here are some of the values associated with their product. The advantage of this mangrove crab cultivation business can be maximal if the cultivated crabs achieve normal growth and maximum results. The demand for crabs is currently very large in domestic and international markets. Determination of alternative patterns value in aquaculture analysis can be identified in Kaliwlingi Village. The socio-economic value has a new concept between characteristics cultivation with income production costs, a major achievement step in realizing Indonesia's best just and prosperous society.

Keywords: Mangrove; Crab cultivation; Kaliwlingi village; Value of interest

INTRODUCTION

Mangrove and crab cultivation development patterns hold significant value regarding environmental, economic, and social benefits (Opa et al., 2021; Solihin et al., 2020). Both mangroves and crab cultivation contribute to sustainable development and positively impact local communities and ecosystems. Here are some of the values associated with their product.

Environmental benefits such as the conservation of mangrove ecosystems are valuable for coastal protection, as they act as natural buffers against erosion, storms, and tidal surges (Aspiany et al., 2019; Prasetya et al., 2018). They also help mitigate the impacts of climate change by sequestering carbon and reducing greenhouse gas emissions. Mangroves support a rich diversity of flora and fauna, including various species of birds, fish, crustaceans, and other marine life. They provide vital breeding and nursery grounds for many marine species.

Water quality such as mangroves filter and purify water, improving water quality and preventing sediment runoff and pollution from reaching coastal waters (Kong et al., 2012; Macale et al., 2019). Crab as Indicator Species: Crab populations can serve as indicators of the health of the coastal ecosystem. Their presence and abundance can provide insights

into the overall environmental condition.

Economic benefits such as sustainable fisheries with crab cultivation and mangrove conservation contribute to sustainable fishing, ensuring a steady supply of crabs and other marine products for local communities and markets (Pathak et al., 2021; B. Wibawa et al., 2020).

Livelihoods and income crab cultivation can provide a source of income for local communities, especially in coastal areas where traditional livelihoods may be limited, and ecotourism such as well-managed mangrove areas can attract ecotourism, providing additional income and job opportunities for locals involved in tourism-related businesses. Some countries participate in carbon trading schemes where mangrove conservation projects can generate revenue through carbon credits for their role in carbon sequestration (February 2021; Ujianti et al., 2018).

Social benefits such as community development with crab cultivation and sustainable mangrove management can empower local communities by providing job opportunities, reducing poverty, and improving the overall quality of life (Fithor et al., 2018, 2020). Knowledge transfer, which develops sustainable crab cultivation practices and mangrove conservation techniques, involves knowledge-sharing and capacity-building within communities, fostering a sense of

correspondence author:

e-mail: afithor@gmail.com

DOI: <http://dx.doi.org/10.15578/ifrj.30.1.2024.1-7>

ownership and stewardship.

Cultural significance with mangroves often holds cultural significance for coastal communities, providing spiritual and traditional values passed down through generations (Lamy et al., 2020; Lestari et al., 2021). Community resilience with healthy mangrove ecosystems enhances the strength of communities against natural disasters and climate-related events, reducing vulnerability and strengthening adaptability.

For these values to be fully realized, it is essential to adopt responsible and sustainable practices in crab cultivation and mangrove management. Balancing economic development with ecological conservation ensures these valuable ecosystems' long-term benefits and viability (Amir et al., 2022; Pongponrat, 2022). Collaboration between stakeholders, including local communities, governments, NGOs, and researchers, is vital in developing and implementing effective and sustainable development patterns for mangroves and crab cultivation. The research will confirm to continue for another reason.

MATERIALS AND METHODS

Determination of Research Area

The research area is determined purposively (deliberately), meaning that the research area is selected based on the research objectives. The

research area is Kaliwlingi Wetan Village, Brebes District, Brebes Regency, where in this village, there is a cultivation of mangrove crab, which is one of the commodities that has increased production (Fig. 1).

Determination of Research Sample

The census method is used in determining the sample, i.e., the entire population is the subject of this study (Bakogiannis et al., 2020; Kibtiah et al., 2023). The people in this study were all cultivators of mud crabs as well as in the mangrove forest area in Kaliwlingi Village, Brebes District, Brebes Regency.

Data collection

The data to be taken in this study consists of primary data and secondary data. Preliminary data were obtained from direct observation and interviews with shrimp pond farmers using a list of questions (questionnaires) prepared in advance (Chouchene et al., 2021; Vuorre et al., 2020). Secondary data related to the research were obtained from the Department of Marine Affairs and Fisheries of Brebes Regency and the Statistics Agency of Brebes Regency, related agencies and institutions in the research area.

The strategy uses the value of all about this mechanism, such as explaining without internal and external, as the procedure default (Opa et al., 2021; Noor, 2013).



Figure 1. Map of sampling in Kaliwlingi village

RESULTS AND DISCUSSION

The Kaliwlingi Mangrove Tourism Village is the spirit of the community's hard work against abrasion and coastal damage on the north coast, with data from 1963 -2017 erosion and abrasion of 2,115.39 hectares and accretion/sedimentation of 2,905.29 by planting mangroves for more than 10 years and has grown more than 10 years—310 Ha of mangrove forest for abrasion prevention (Hakim et al., 2022).

From the results of planting and rehabilitating mangroves, there is potential for developing mangrove tourism and a mangrove nursery. Culinary and typical coastal crafts are also the main attractions of the menu regular of Kaliwlingi Village. The surrounding community makes food from the results of mangrove biota, namely soka crabs (Macale et al., 2019).

The potential and prospects for fisheries development, especially mangrove crabs, are currently increasing in demand. The mangrove crab is one of the prima donnas of brackish water cultivation, and the increasing demand for mangrove crab cultivation is closely related to many market demands for seafood fans in restaurants and traditional markets. Kaliwlingi Village is a tourist destination with mangrove forest icons, selfies, fish and crab seafood stalls, and other street food. Unfortunately, the need for market demand is not accompanied by the level of productivity from aquaculture, supplying the needs of most of the results from the catch (Bakti Wibawa et al., 2021).

Problems for the sustainability of the mangrove crab population can research is needed on developing mangrove crab cultivation to meet seafood stalls in the mangrove forest ecotourism area. However, it needs to be studied in depth so that the preservation of the mangrove crab population in the Kaliwlingi mangrove forest area can be maintained and its habitat can be maintained so that the population does not decrease (Pratiwi et al., 2022).

Community empowerment aims to develop a superior commodity business in the form of mangrove crabs based on land/water suitability and socio-economic conditions of Kaliwlingi Village. Community empowerment is directed at efforts to increase the production and productivity of mangrove crabs and the systems that support it, namely the mangrove forest area as a conservation area, preservation of mangrove crab habitat, and Site Plan for the Crab Cultivation area.

Crab Cultivation Pattern to Development Plan Value

Decision-making strategies are always related to the background, potential, and existing problems internally in the form of strengths and weaknesses and externally in the form of opportunities and threats that can make the development pattern of mangrove crab cultivation in Kaliwlingi Village, Brebes (Jiang et al., 2019). In preparing the plan, it is necessary to study internal and external factors obtained from the analysis of operational activities and the results of aquaculture production. The methodology for determining weights and ratings in assessing internal and external strategic elements can be seen in the matrix of internal strategic factors in the form of strengths and weaknesses for developing mud crab cultivation, presented in Table 1.

As an effort to optimize internal factors, more solid consolidation efforts are still needed between governments, in this case, the Marine and Fisheries Service of Brebes Regency and mud crab cultivators in maximizing strengths and reducing internal weaknesses to obtain the best solution in aquaculture development patterns with mangrove crabs in Kaliwlingi Village, Brebes District, Brebes Regency.

The total value of external factors is 3.42, indicating that the development pattern of mangrove crab cultivation in Kaliwlingi Village, Brebes Regency, in

Table 1. The total value of internal and external strategic factors

Value of research	Internal	3-4	2-3	1-2
External		Strong	Median	Weak
3-4	High	Maximal growth	Minimum growth	Refreshment
2-3	Medium	Careful stabilization	Normal growth	Decrease the population of crab
1-2	Low	Increase the population of crab	Diversification growth	The threat to the crab population

responding to existing external factors is quite optimal. However, more solid consolidation efforts are still needed between governments, in this case, the Fisheries and Marine Service of Brebes Regency and mud crab cultivators, in taking advantage of opportunities to face threats and the sustainability of mangrove crabs.

The biggest problem in the cultivation of mud crabs is the decline in the coastal environment's carrying capacity due to improper management (Dewi et al., 2022). Mangrove forests are the main habitat for crabs to grow and develop (Nursery ground). In mangrove forests, there are natural foods. Mangrove crabs consume various types of feed, such as algae, rotting leaves, roots and nuts, snails, frogs, shellfish, shrimp, and carrion fish (Fithor et al., 2018). The natural habitat of mangrove crabs is brackish waters with muddy bottoms.

And along the shoreline overgrown with mangrove trees (mangroves) (Hadiyanto et al., 2021). The problems faced by mangrove crab farmers are currently very complex, including decreased production caused by various diseases that attack mangrove crabs, environmental pollution and security that is not guaranteed due to waste disposal activities from chicken farms that are dumped into waterways, and the increase in the price of the means of production (Irsadi et al., 2019). The high cost of mangrove crab seeds still relies on natural catches.

Mangrove and crab cultivation development patterns hold significant value in terms of environmental, economic, and social benefits. Both mangroves and crab cultivation contribute to sustainable development and positively impact local communities and ecosystems. Here are some of the values associated with their product:

1. Environmental Benefits (Aju, 2019):

a. Mangrove Conservation: Mangrove ecosystems are valuable for coastal protection, as they act as natural buffers against erosion, storms, and tidal surges. They also help mitigate the impacts of climate change by sequestering carbon and reducing greenhouse gas emissions.

b. Biodiversity: Mangroves support a rich diversity of flora and fauna, including various species of birds, fish, crustaceans, and other marine life. They provide vital breeding and nursery grounds for many marine species.

c. Water Quality: Mangroves filter and purify water, improving water quality and preventing sediment runoff

and pollution from reaching coastal waters.

d. Crab as Indicator Species: Crab populations can serve as indicators of the health of the coastal ecosystem. Their presence and abundance can provide insights into the overall environmental condition.

2. Economic Benefits (Wagey et al., 2020):

a. Sustainable Fisheries: Crab cultivation and mangrove conservation contribute to sustainable fisheries, ensuring a steady supply of crabs and other marine products for local communities and markets.

b. Livelihoods and Income: Crab cultivation can provide a source of income for local communities, especially in coastal areas where traditional livelihoods may be limited.

c. Ecotourism: Well-managed mangrove areas can attract ecotourism, providing additional income and job opportunities for locals involved in tourism-related businesses.

d. Carbon Trading: Some countries participate in carbon trading schemes where mangrove conservation projects can generate revenue through carbon credits for their role in carbon sequestration.

3. Social Benefits (Møller Jensen et al., 2019):

a. Community Development: Crab cultivation and sustainable mangrove management can empower local communities by providing job opportunities, reducing poverty, and improving the overall quality of life.

b. Knowledge Transfer: Developing sustainable crab cultivation practices and mangrove conservation techniques involves knowledge-sharing and community capacity-building, fostering a sense of ownership and stewardship.

c. Cultural Significance: Mangroves often hold cultural significance for coastal communities, providing spiritual and traditional values passed down through generations.

d. Community Resilience: Healthy mangrove ecosystems enhance the resilience of communities to natural disasters and climate-related events, reducing vulnerability and strengthening adaptability.

For these values to be fully realized, it is essential to adopt responsible and sustainable practices in crab cultivation and mangrove management. Balancing economic development with ecological conservation ensures these valuable ecosystems' long-term




Figure 2. 2A. Site Plan for Kaliwlingi Tourism Village, District Brebes; 2B. Dewi Mangrove Sari Area Zoning; 2C. Mangrove Area Utilization Zoning; 2D. Zoning Waste Management in the Dewi Mangrove Sari area.

benefits and viability. Collaboration between stakeholders, including local communities, governments, NGOs, and researchers, is vital in developing and implementing effective and sustainable development patterns for mangroves and crab cultivation. Please confirm this in Figure 2.

Based on Figure 2, a zoning site plan for the management area of the Dewi Mangrove Sari Tourism Village has been formed, starting from the tourist zoning, mangrove trekking, pier zone, fishing and catch location, cultivation zone, to conservation zone, nature school zone, camp zone, fruit garden zone, zone water sport, public reception zone, waste management zone.

CONCLUSIONS

Value utilization is a common element for the sustainability of ecosystems and life needed as a first step to segregating value from the mangrove ecosystem at the best opportunity with a major achievement step in the framework of realizing the best just and prosperous society for Indonesia.

ACKNOWLEDGEMENT

This research received no specific grant from any funding agency in the commercial, public, business, or not-for-profit sectors.

REFERENCES

- Aju, P. 2019. Participation of Society In Decision-Making By Government In. *E3S Web of Conferences*, 125(02018), 18–21.
- Amir, S., Tsegab, H., and Soto, G. J. 2022. Facies Mapping of the Holocene Carbonate Complexes in Kepulauan Seribu Java Basin, Indonesia Using Satellite-Derived Data Set. *Pertanika Journal of Science and Technology*, 30(3), 2253–2270.
- Aspiany, Anggoro, S., Purwanti, F., and Gunawan, B. I. 2019. Evaluating Ecotourism Development in Bontang: Water Quality, Compatibility, and Carrying Capacity. *IOP Conference Series: Earth and Environmental Science*, 370(1). <https://doi.org/10.1088/1755-1315/370/1/012049>

- Bakogiannis, E., Vlastos, T., Athanasopoulos, K., Vassi, A., Kyriakidis, C., Noutsou, M., and Siti, M. 2020. Exploring Motivators and Deterrents of Cycling Tourism Using Qualitative Social Research Methods and Participative Analytical Hierarchy Process (AHP). *Sustainability (Switzerland)*, 12(2418), 1–15.
- Chouchene, K., Prata, J. C., da Costa, J., Duarte, A. C., Rocha-Santos, T., and Ksibi, M. 2021. Microplastics on Barra beach sediments in Aveiro, Portugal. *Marine Pollution Bulletin*, 167(27209), 112264. <https://doi.org/10.1016/j.marpolbul.2021.112264>
- Dewi, S. P., and Kurniati, R. 2022. Design Guidelines for Vegetative Approach Application to Mitigate Riverbank Landslides in Mangkang Wetan and Mangunharjo Villages, Semarang Coastal Area, Indonesia. *Pertanika Journal of Science and Technology*, 30(4), 2407–2425. <https://doi.org/10.47836/pjst.30.4.06>
- Febrianty, I. 2021. Public perception of catfish aquaculture ponds in Banjar District , South Kalimantan , Indonesia. *AACL Bioflux*, 14(1), 227–232.
- Fithor, A., Prayitno, S. B., Purwanti, F., and Indarjo, A. 2020. Tourism Suitability and Carrying Capacity/ : Prospect Ecotourism (Case Study in Marina Beach Semarang). *E3S Web of Conferences*, 03010(202).
- Fithor, A., Sutrisno, J., and Indarjo, A. 2018. Analisis SWOT/ : Strategi Pengelolaan Ekosistem Mangrove di Kawasan Wisata Pantai Maron Kota Semarang. *Jurnal Harpodon Borneo*, 11(1).
- Hadiyanto, H., Arief Rahman Halim, M., Muhammad, F., Soeprbowati, T. R., and Sularto, S. 2021. Potential for environmental services based on the estimation of reserved carbon in the Mangunharjo mangrove ecosystem. *Polish Journal of Environmental Studies*, 30(4), 3545–3552. <https://doi.org/10.15244/pjoes/126374>
- Hakim, B. A., Kustiyanto, E., Choliso, E., Airawati, M. N., Wibawa, B., Susilo, Y. S., and Asharo, R. K. 2022. Assessing Environmental Physics: Tidal Flood Impact with Multidiscipline Approach (Case Study Coastal Cities Semarang Indonesia). *Journal of Physics: Conference Series*, 2377(1). <https://doi.org/10.1088/1742-6596/2377/1/012059>
- Irsadi, A., Anggoro, S., Soeprbowati, T. R., Helmi, M., and Khair, A. S. E. 2019. Shoreline and mangrove analysis along Semarang-demak, Indonesia, for sustainable environmental management. *Jurnal Pendidikan IPA Indonesia*, 8(1), 1–11. <https://doi.org/10.15294/jpii.v8i1.17892>
- Jiang, P., Shao, L., and Baas, C. 2019. Interpretation of Value Advantage and Sustainable Tourism Development for Railway Heritage in China Based on the Analytic Hierarchy Process. *Sustainability (Switzerland)*.
- Kibtiah, T. M., and Medeleine. 2023. Indonesia's Economic Recovery in a Post-Pandemic: Under the New Normal on Society 5.0. *E3S Web of Conferences*, 388(04016). <https://doi.org/10.1051/e3sconf/202338804016>
- Kong, H., Xue, X., and Zhang, X. 2012. Applying SWOT-AHP Analysis in Sustainable Marine Development Plan/ : Case Study in Shantou Municipality. *Advanced Materials Research*, 527, 3741–3745. <https://doi.org/10.4028/www.scientific.net/AMR.524-527.3741>
- Lama, L., Fauzia, J., and Shilpa, I. 2020. Prioritizing theme park service quality in Islamic contexts: an analytic hierarchy process approach. *International Journal of Culture, Tourism and Hospitality Research*, 14(2), 225–237. <https://doi.org/10.1108/IJCTHR-10-2018-0147>
- Lestari, E., Wibowo, A., and Rahayu, P. 2021. Cultural Transformation in the Development of Home Industries in Karanganyar Regency, Central Java, Indonesia. *E3S Web of Conferences*, 316(04002). <https://doi.org/10.1051/e3sconf/202131604002>
- Macale, A. M. B., and Nieves, P. M. 2019. Stakeholders ' perception on the status of blue swimming crabs *Portunus pelagicus* (Linnaeus , 1758) and performance of lying-in hatchery concept in San Miguel Bay , Philippines. *AACL Bioflux*, 12(2), 2017–2020.
- Møller Jensen, J., and Hjalager, A. M. 2019. Travel motivations of first-time, repeat, and serial backpackers. *Tourism and Hospitality Research*, 19(4), 465–477. <https://doi.org/10.1177/1467358418781440>
- Noor, A. 2013. The Estimation of Economic Benefits of Urban Trees Using Contingent Valuation Method in Tasik Perdana , Kuala Lumpur. *Pertanika Journal*

- of *Tropical Agriculture*, 36(1), 99–114.
- Opa, E. T., Kepel, R. C., Lasabuda, R., Kusen, J. D., Paruntu, C. P., Djamaluddin, R., Boneka, F. B., and Mantiri, D. M. H. 2021. Ecological suitability of mangrove tourism in Mantehage Island is the outermost small island in north Sulawesi, Indonesia. *AACL Bioflux*, 14(1), 120–129.
- Pathak, A., van Beynen, P. E., Akiwumi, F. A., and Lindeman, K. C. 2021. Impacts of climate change on the tourism sector of a Small Island Developing State: A case study for the Bahamas. *Environmental Development*, 37(August), 100556. <https://doi.org/10.1016/j.envdev.2020.100556>
- Pongponrat, K. 2022. Stakeholder Engagement Process in Water Saving Initiatives for Sustainable Tourist Destination in Samui Island, Thailand. *Pertanika Journal of Social Sciences and Humanities*, 30(3), 1341–1363. <https://doi.org/10.47836/pjssh.30.3.22>
- Prasetya, J. D., Ambariyanto, Supriharyono, and Purwanti, F. 2018. Hierarchical Synthesis of Coastal Ecosystem Health Indicators at Karimunjawa National Marine Park. *IOP Conference Series: Earth and Environmental Science*, 116(1). <https://doi.org/10.1088/1755-1315/116/1/012094>
- Pratiwi, Y., Nurhayati, A., Kusuma, P., and Noor, D. 2022. The community perception of Batu Karas mangrove forest preservation in Pangandaran Regency, West Java, Indonesia. *AACL Bioflux*, 15(4).
- Solihin, L., Kusumastanto, T., Fauzi, A., and Yulianda, F. 2020. Institutional arrangement of conservation areas for sustainable marine tourism in Gili Matra water tourism park, Indonesia. *AACL Bioflux*, 13(6), 3542–3555.
- Ujjanti, R. M. D., Anggoro, S., Bambang, A. N., and Purwanti, F. 2018. Water quality of the Garang River, Semarang, Central Java, Indonesia, based on the government regulation standard. *Journal of Physics: Conference Series*, 1025(1). <https://doi.org/10.1088/1742-6596/1025/1/012037>
- Vuorre, M., and Crump, M. J. C. 2020. Sharing and organizing research products as R packages. *Behavior Research Methods*.
- Wagey, B. T., Boneka, F. B., and Mantiri, R. 2020. Status of marine biodiversity and community perception on marine conservation in Mantehage Island, Bunaken National Park, North Sulawesi, Indonesia. *AACL Bioflux*, 13(6), 3830–3839.
- Wibawa, B., Prijambodo, T., Fauzi, I., and Shabrina, N. 2020. Marine Tourism Infrastructure and Human Resources Development. *Journal of Physics: Conference Series*, 1625(1). <https://doi.org/10.1088/1742-6596/1625/1/012068>
- Wibawa, Bakti, Fauzi, I., Novianti, D. A., Shabrina, N., Saputra, A. D., and Latief, S. A. 2021. Development of Sustainable Infrastructure in Eastern Indonesia. *IOP Conference Series: Earth and Environmental Science*, 832(1). <https://doi.org/10.1088/1755-1315/832/1/012045>